

VISSO®

SR-2819



SR-2816



SR-2812



SR-2813



WIFI CONTROLLER

REAL COLOR


EASY Dimmer

EASY COLOR

SR-2818



LED CONTROLLER
RADIO CONTROL - WI-FI - MANUAL



SR-1006TA



SR-1006TA


SR-2810

1. Ideal for bars, shops, pubs and some places where needs color changing
2. Distance between remote and receiver is max 20m.
3. DIY color, DIY program.
4. Memory function: resume the mode which run visually while power off
5. Control up to 4 zones, enable to save 1 program into each zone.
6. 4 zones can be controlled separately and synchronously
7. Step by step gets white color
8. over current protection, over temperature protection, 3 year warranty.

VISSO
Technical LED System

RF Easy Dimmer							
Part No.	Operation Voltage	Operation Frequency	Ta	Approval	PRICE P.V.P.	Remarks	Photoes
SR-2801	3VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	36.00 €	Battery CR2025	
SR-2802	3VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	36.00 €	Battery CR2025	
SR-2807	3VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	32.00 €	Battery CR2025	
SR-2803	3VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	36.00 €	Battery CR2025	
SR-2804	3.6VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	124.00 €	Touch Sensor	
Part No.	Operation Voltage	Operation Frequency	Ta	Approval	PRICE P.V.P.	Remarks	Photoes
SR-2801E	3VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	36.00 €	Battery CR2025	
SR-2801F	3VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	36.00 €	Battery CR2025	
SR-2805R	3VDC/12-24VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	56.00 €	wall mounted RF wireless controller	
SR-2805D	3.6VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	64.00 €	table RF wireless controller	
SR-2828	3.6VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	64.00 €	slide touch remote controller (dim brightness)	

Part No.	Input Voltage	Max load current	Max Output Power	Load Type	PRICE P.V.P.	Remarks	Photos
SR-2501	12-36VDC	4x5A	4ch x(60-180)W	Regular LED (0.04-0.1W)	84.00 €	Work with SR-2801 remote control & wall wireless controller SR-2805D/SR-2805R 5 zones (single color)	
SR-2502	12-36VDC	4x0.350A	4ch x(4.2-12.6)W	High PowerLED (1W)	96.00 €		
SR-2503	12-36VDC	4x0.70A	4ch x(8.4-25.2)W	High PowerLED (3W)	96.00 €		
SR-2501TC	12-36VDC	2x5A	2ch x(60-180)W	Regular LED (0.04-0.1W)	84.00 €		
SR-2502TC	12-36VDC	2x0.350A	2ch x(4.2-12.6)W	High PowerLED (1W)	84.00 €		
SR-2503TC	12-36VDC	2x0.70A	2ch x(4.2-12.6)W	High PowerLED (3W)	84.00 €		
SR-2501A	12-36VDC	4x5A	4ch x(60-180)W	Regular LED (0.04-0.1W)	84.00 €	work with SR-2802/2807 remote control SR-2802: 10 zones SR-2807: 1 zone single color	
SR-2502A	12-36VDC	4x0.350A	4ch x(4.2-12.6)W	High PowerLED (1W)	96.00 €		
SR-2503A	12-36VDC	4x0.70A	4ch x(8.4-25.2)W	High Power LED (3W)	96.00 €		
SR-2501ATC	12-36VDC	2x5A	2ch x(60-180)W	Regular LED (0.04-0.1W)	84.00 €		
SR-2502ATC	12-36VDC	2x0.350A	2ch x(4.2-12.6)W	High PowerLED (1W)	84.00 €		
SR-2503ATC	12-36VDC	2x0.70A	2ch x(8.4-25.2)W	High Power LED (3W)	84.00 €		
SR-2501B	12-36VDC	4x5A	4ch x(60-180)W	Regular LED (0.04-0.1W)	84.00 €	work with SR-2803 remote control Control 1.3 & 2.4 channels separately ideal for kelvin change	
SR-2502B	12-36VDC	4x0.350A	4ch x(4.2-12.6)W	High PowerLED (1W)	96.00 €		
SR-2503B	12-36VDC	4x0.70A	4x(8.4-25.2)W	High Power LED (3W)	96.00 €		
SR-2501BTC	12-36VDC	2x5A	2x(60-180)W	Regular LED (0.04-0.1W)	84.00 €		
SR-2502BTC	12-36VDC	2x0.350A	2ch x(4.2-12.6)W	High PowerLED (1W)	84.00 €		
SR-2503BTC	12-36VDC	2x0.70A	2ch x(8.4-25.2)W	High Power LED (3W)	84.00 €		
SR-2501C	12-36VDC	3x5A	3ch x(60-180)W	Regular LED (0.04-0.1W)	84.00 €	work with SR-2804 remote control WW/CW/NW change	
SR-2502C	12-36VDC	3x0.350A	3ch x(4.2-12.6)W	High Power LED (1W)	96.00 €		
SR-2503C	12-36VDC	3x0.70A	3ch x(8.4-25.2)W	High Power LED (3W)	96.00 €		

Part No.	Input Voltage	Max load current	Max Output Power	Load Type	PRICE P.V.P.	Remarks	Photos
SR-2501E	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	88.00 €	match with SR-2801E 4 channels of 1 receiver are controlled separately	
SR-2501E8A	12-24VDC	4x8A	4x(96-288)W	Regular LED (0.04-0.1W)	98.00 €		
SR-2502E	12-36VDC	4x0.350A	4x(4.2-12.6)W	High PowerLED (1W)	98.00 €		
SR-2503E	12-36VDC	4x0.70A	4x(8.4-25.2)W	High PowerLED (3W)	98.00 €		
SR-2501F	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	98.00 €	match with SR-2801F 4 zones controlled separately	
SR-2501FEA	12-24VDC	4x8A	4x(96-288)W	Regular LED (0.04-0.1W)	98.00 €		
SR-2502F	12-36VDC	4x0.350A	4x(4.2-12.6)W	High PowerLED (1W)	98.00 €		
SR-2503F	12-36VDC	4x0.70A	4x(8.4-25.2)W	High PowerLED (3W)	98.00 €		
SR-2501D	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	84.00 €	match with SR-2828 remote	
SR-2501DEA	12-24VDC	4x8A	4x(96-288)W	Regular LED (0.04-0.1W)	98.00 €		
SR-2502D	12-36VDC	4x0.350A	4x(4.2-12.6)W	High PowerLED (1W)	98.00 €		
SR-2503D	12-36VDC	4x0.70A	4x(8.4-25.2)W	High PowerLED (3W)	98.00 €		
To meet client requirement, 1 channel receiver comes out							
SR-2501S	12-36VDC	1x5A	1ch x(60-180)W	Regular LED (0.04-0.1W)	56.00 €	Work with SR-2801 remote control & wall wireless controller SR-2805D/SR-2805R 5 zones (single color)	
SR-2502S	12-36VDC	1x0.350A	1ch x(4.2-12.6)W	High PowerLED (1W)	72.00 €		
SR-2503S	12-36VDC	1x0.70A	1ch x(8.4-25.2)W	High PowerLED (3W)	72.00 €		
SR-2501AS	12-36VDC	1x5A	1ch x(60-180)W	Regular LED (0.04-0.1W)	56.00 €	work with SR-2802/2807 remote control	
SR-2502AS	12-36VDC	1x0.350A	1ch x(4.2-12.6)W	High PowerLED (1W)	56.00 €	SR-2802: 10 zones SR-2807: 1 zone	
SR-2503AS	12-36VDC	1x0.70A	1ch x(8.4-25.2)W	High Power LED (3W)	56.00 €	single color	

Manual LED RGB/RGBY Controller							
Part No.	Input Voltage	Max load current	Max Output Power	Load Type	PRICE P.V.P.	Remarks	Photos
SR-1002MS	12-36VDC	3/4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	78.00 €	Manual controller work with normal push button	
SR-1011MS	12-36VDC	3/4x0.350A	4x(4.2-12.6)W	High Power LED (1W)	98.00 €		
SR-1021MS	12-36VDC	3/4x0.70A	4x(8.4-25.2)W	High Power LED (3W)	98.00 €		
RF LED RGB Controller							
Part No.	Operation Voltage	Operation Frequency	Ta	Approval	PRICE P.V.P.	Remarks	Photos
SR-2808	3VDC	433.92MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	38.00 €	for 1 zone	
Part No.	Input Voltage	Max load current	Max Output Power	Load Type	PRICE P.V.P.	Remarks	Photos
SR-1004TA	12-36VDC	3x3A	3x(36-108)W	Regular LED (0.04-0.1W)	98.00 €	Work with SR-2808 remote controller	 
SR-1004TA3	12-36VDC	3x0.350A	3x(4.2-12.6)W	High Power LED(1W)	98.00 €		
SR-1004TA7	12-36VDC	3x0.70A	3x(8.4-25.2)W	High Power LED(3W)	98.00 €		
SR-1004FA	12-36VDC	3x5A	3x(60-180)W	Regular LED (0.04-0.1W)	98.00 €		
SR-1004FA3	12-36VDC	3x0.350A	3x(4.2-12.6)W	High Power LED(1W)	98.00 €		
SR-1004FA7	12-36VDC	3x0.70A	3x(8.4-25.2)W	High Power LED(3W)	98.00 €		
RF Touch RGB Controller							
Part No.	Operation Voltage	Operation Frequency	Ta	Approval	PRICE P.V.P.	Remarks	Photos
SR-2806	4.5VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	138	flagship controller for 4 years RGBW remote for 10 zones	
SR-2809	3.6VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	138	RGB USB rechargeable remote 2 zones	
SR-2810	4.5VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	138	programmable remote control 4 zones	
Part No.	Input Voltage	Max load current	Max Output Power	Load Type	PRICE P.V.P.	Remarks	Photos
SR-1003RC	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	138.00 €	work with SR-2806 remote control	
SR-1003RCEA	12-36VDC	4x8A	4x(96-288)W	Regular LED (0.04-0.1W)	138.00 €		
SR-1012RC	12-36VDC	4x0.350A	4x(4.2-12.6)W	High Power LED (1W)	138.00 €		
SR-1022RC	12-36VDC	4x0.70A	4x(8.4-25.2)W	High Power LED (3W)	138.00 €		
SR-1003RC DMX or SR-1003AC	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	138.00 €		

SR-1005TA	12-36VDC	3x3A	3x(36-108)W	Regular LED (0.04-0.1W)	98.00 €	work with SR-2809 remote control	
SR-1005FA	12-36VDC	3x5A	3x(60-180)W	Regular LED (0.04-0.1W)	98.00 €		
SR-1005FA3	12-36VDC	3x0.350A	3x(4.2-12.6)W	High Power LED (1W)	98.00 €		
SR-1005FA7	12-36VDC	3x0.70A	3x(8.4-25.2)W	High Power LED (3W)	98.00 €		
SR-1006TA	12-36VDC	3x3A	3x(36-108)W	Regular LED (0.04-0.1W)	98.00 €	work with SR-2810 remote control	
SR-1006FA	12-36VDC	3x5A	3x(60-180)W	Regular LED (0.04-0.1W)	98.00 €		
SR-1006EA	12-36VDC	3x8A	3x(96-288)W	Regular LED (0.04-0.1W)	108.00 €		
SR-1006FA3	12-36VDC	3x0.350A	3x(4.2-12.6)W	High Power LED (1W)	108.00 €		
SR-1006FA7	12-36VDC	3x0.70A	3x(8.4-25.2)W	High Power LED (3W)	108.00 €		
SR-1003RC	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	138.00 €	work with SR-2806 remote control	
SR-1003RCEA	12-36VDC	4x8A	4x(96-288)W	Regular LED (0.04-0.1W)	138.00 €		
SR-1012RC	12-36VDC	4x0.350A	4x(4.2-12.6)W	High Power LED (1W)	138.00 €		
SR-1022RC	12-36VDC	4x0.70A	4x(8.4-25.2)W	High Power LED (3W)	138.00 €		
SR-1003RC DMX or SR-1003AC	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	138.00 €		
SR-1005TA	12-36VDC	3x3A	3x(36-108)W	Regular LED (0.04-0.1W)	98.00 €	work with SR-2809 remote control	
SR-1005FA	12-36VDC	3x5A	3x(60-180)W	Regular LED (0.04-0.1W)	98.00 €		
SR-1005FA3	12-36VDC	3x0.350A	3x(4.2-12.6)W	High Power LED (1W)	98.00 €		
SR-1005FA7	12-36VDC	3x0.70A	3x(8.4-25.2)W	High Power LED (3W)	98.00 €		
SR-1006TA	12-36VDC	3x3A	3x(36-108)W	Regular LED (0.04-0.1W)	98.00 €	work with SR-2810 remote control	
SR-1006FA	12-36VDC	3x5A	3x(60-180)W	Regular LED (0.04-0.1W)	98.00 €		
SR-1006EA	12-36VDC	3x8A	3x(96-288)W	Regular LED (0.04-0.1W)	108.00 €		
SR-1006FA3	12-36VDC	3x0.350A	3x(4.2-12.6)W	High Power LED (1W)	108.00 €		
SR-1006FA7	12-36VDC	3x0.70A	3x(8.4-25.2)W	High Power LED (3W)	108.00 €		

NEW PRODUCT (2013)							
Part No.	Operation Voltage	Operation Frequency	Ta	Approval	PRICE P.V.P.	Remarks	Photoes
SR-2819	4.5VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	138.00 €	2013 new design RGBW controller	
SR-2818	3.6VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	138.00 €	RGBW full touch remote controller	
SR-2820	12-24VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	138.00 €	Wall RF controller, control SR-1009FA, SR-1009F3, SR1009F7	
Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Remarks	Photoes
SR-1009FA	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	138.00 €	match with remote SR-2818 or SR-2819	
SR-1009F3	12-36VDC	4x0.350A	4x(4.2-12.6)W	High Power LED(1W)	138.00 €		
SR-1009F7	12-36VDC	4x0.70A	4x(8.4-25.2)W	High Power LED(3W)	138.00 €	RF receiver	
RF reciever & WIFI controller							
Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Remarks	Photoes
SR-1009FAWi	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	268.00 €	(1) match with remote SR-2818 or SR-2819	
SR-1009F3Wi	12-36VDC	4x0.350A	4x(4.2-12.6)W	High Power LED (1W)	268.00 €		
SR-1009F7Wi	12-36VDC	4x0.70A	4x(8.4-25.2)W	High Power LED(3W)	268.00 €	(2) enable to be controlled by iphone/iPAD /android	
SR-1009FABL	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	268.00 €	Bluetooth	now bluetooth is not available
SR-1009F3BL	12-36VDC	4x0.350A	4x(4.2-12.6)W	High Power LED (1W)	268.00 €	Bluetooth	
SR-1009F7BL	12-36VDC	4x0.70A	4x(8.4-25.2)W	High Power LED (3W)	268.00 €	Bluetooth	
Part No.	Operation Voltage	Operation Frequency	Ta	Approval	PRICE P.V.P.	Remarks	Photoes
SR-2818WITR	3.6VDC	33.92MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	268.00 €	WIFI signal transmitter convert WIFI (easycolor) signal to RF signal (control SR-1009FA/SR-1009F3/SR-1009F7)	
SR-2818BLTR	5-12VDC	434MHz/868MHz	(-20°C~+50°C)	CE/FCC/RoHS	268.00 €	signal transmitter	now bluetooth is not available

DMX512 Dimmer							
Part No.	Output Signal	Input Voltage	Ta	Approval	PRICE P.V.P.	Remarks	Photoes
SR-2201	DMX512 Signal	12VDC	(-20°C~+50°C)	CE/RoHS	€ 132.00	DMX signal output Connect DMX decoders	
SR-2202	DMX512 Signal	12VDC	(-20°C~+50°C)	CE/RoHS	€ 108.00		
SR-2203	DMX512 Signal	12VDC	(-20°C~+50°C)	CE/RoHS	€ 108.00		
DMX512 Decoder							
Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Remarks	Photoes
SR-2102B	12-36VDC	3/4×5A	3/4×(60-180)W	Regular LED (0.04-0.1W)	€ 98.00	DMX decoder-Visible Address	
SR-2102BEA	12-36VDC	3/4×8A	3/4×(96-288)W	Regular LED (0.04-0.1W)	€ 98.00		
SR-2112B	12-36VDC	3/4×0.350A	3/4×(4.2-12.6)W	High Power LED (1W)	€ 98.00		
SR-2114B	12-36VDC	3/4×0.70A	3/4×(8.4-25.2)W	High Power LED (3W)	€ 98.00		
SR-2103FA	12-36VDC	3/4×5A	3/4×(60-180)W	Regular LED (0.04-0.1W)	€ 98.00	DMX decoder (A unit of DMX mode and stand-alone mode)	
SR-2103EA	12-36VDC	3/4×8A	3/4×(96-288)W	Regular LED (0.04-0.1W)	€ 98.00		
SR-2103FA3	12-36VDC	3/4×0.350A	3/4×(4.2-12.6)W	High Power LED (1W)	€ 98.00		
SR-2103FA7	12-36VDC	3/4×0.70A	3/4×(8.4-25.2)W	High Power LED (3W)	€ 98.00		
SR-2104FA	12-36VDC	3/4×5A	3/4×(60-180)W	Regular LED (0.04-0.1W)	€ 98.00	DMX decoder (a perfect combination of slave mode and master mode)	
SR-2104EA	12-36VDC	3/4×8A	3/4×(96-288)W	Regular LED (0.04-0.1W)	€ 136.00		
SR-2104FA3	12-36VDC	3/4×0.350A	3/4×(4.2-12.6)W	High Power LED (1W)	€ 128.00		
SR-2104FA7	12-36VDC	3/4×0.70A	3/4×(8.4-25.2)W	High Power LED (3W)	€ 136.00		
SR-2105FA	12-36VDC	3/4/5×5A	3/4/5×(60-180)W	Regular LED (0.04-0.1W)	€ 98.00	5 channels DMX decoder (a unit of stand-alone mode and dmx mode)	
SR-2105EA	12-36VDC	3/4/5×8A	3/4/5×(96-288)W	Regular LED (0.04-0.1W)	€ 108.00		
SR-2105FA3	12-36VDC	3/4/5×0.350A	3/4/5×(4.2-12.6)W	High Power LED (1W)	€ 124.00		
SR-2105FA7	12-36VDC	3/4/5×0.70A	3/4/5×(8.4-25.2)W	High Power LED (3W)	€ 124.00		

DMX512 Switch							
Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Remarks	Photoes
SR-2703B	100-240VDC	5A	500W	Hv-Halogen Lamps, LED Lamps Electronic ballst	€ 88.00	DMX512 Signal Input	
SR-2704B	12-36VDC	3x5A	3x(60-180)W	Hv-Halogen Lamps, LED Lamps	€ 88.00		
Manual Touch RGB/RGBY Controller							
Part No.	Operation Voltage	Operation Frequency	Ta	Approval	PRICE P.V.P.	Remarks	Photoes
SR-2811DMX	12VDC	/	(-20°C~+50°C)	CE/FCC/RoHS	€ 128.00	Output DMX512 Signal, connect DMX decoders (1 zone)	
NEW PRODUCT (2013)							
Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Remarks	Photoes
SR-2811PWM	12-24VDC	5A	60-120W	LED strip (under 0.1W)	€ 136.00	connect LED strips directly (1 zone)	
Part No.	Operation Voltage	Operation Frequency	Ta	Approval	PRICE P.V.P.	Remarks	Photoes
SR-2812	DMX512 Signal	12-24VDC	(-20°C~+50°C)	CE/RoHS	€ 136.00	DMX signal output Connect DMX decoders (4 zones)	
SR-2811(1-10V)	DMX512 Signal	24VDC	(-20°C~+50°C)	CE/RoHS	€ 136.00	1-10V signal output Connect 1-10V dimmer	

Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Remarks	Photoes
SR-2302B	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	98.00 €	1 DALI address ,4 channels controlled synchronously	
SR-2302BEA	12-36VDC	4x8A	4x(96-288)W	Regular LED (0.04-0.1W)	98.00 €		
SR-2312B	12-36VDC	4x0.350A	4x(4.2-12.6)W	High Power LED (1W)	98.00 €		
SR-2314B	12-36VDC	4x0.70A	4x(8.4-25.2)W	High Power LED (3W)	118.00 €		
SR-2303B	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	98.00 €	4 DALI address, 4 channels controlled separately	
SR-2303BEA	12-36VDC	4x8A	4x(96-288)W	Regular LED (0.04-0.1W)	98.00 €		
SR-2315B	12-36VDC	4x0.350A	4x(4.2-12.6)W	High Power LED (1W)	98.00 €		
SR-2317B	12-36VDC	4x0.70A	4x(8.4-25.2)W	High Power LED (3W)	98.00 €		
SR-2304B	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	98.00 €	DALI with push function 1 DALI address	
SR-2304BEA	12-36VDC	4x8A	4x(96-288)W	Regular LED (0.04-0.1W)	98.00 €		
SR-2316B	12-36VDC	4x0.350A	4x(4.2-12.6)W	High Power LED (1W)	98.00 €		
SR-2318B	12-36VDC	4x0.70A	4x(8.4-25.2)W	High Power LED (3W)	98.00 €		
DALI Switch							
Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Remarks	Photoes
SR-2701B	100-240AC	5A	500W	Hv-Halogen Lamps, LED Lamps Electronic ballst	98.00 €	DALI Signal Input	
SR-2702B	12-36VDC	3x5A	3x(60-180)W	Hv-Halogen Lamps, LED Lamps	98.00 €		

1-10V Dimmer							
Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Signal Channel	Photoes
SR-2006	12-36VDC	1x8A	1x(96-288)W	Regular LED (0.04-0.1W)	56.00 €	1CH1-10V Input/1CH PWM Output	
SR-2015	12-36VDC	1x0.350A	1x(4.2-12.6)W	High Power LED(1W)	56.00 €	1CH1-10V Input/1CH PWM Output	
SR-2016	12-36VDC	1x0.70A	1x(8.4-25.2)W	High Power LED(3W)	56.00 €	1CH1-10V Input/1CH PWM Output	
SR-2001	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	98.00 €	1CH1-10V Input/4CH PWM Output	       
SR-2002	12-36VDC	4x5A	4x(60-180)W	Regular LED (0.04-0.1W)	98.00 €	4CH1-10V Input/4CH PWM Output	
SR-2001EA	12-36VDC	4x8A	4x(96-288)W	Regular LED (0.04-0.1W)	98.00 €	1CH1-10V Input/4CH PWM Output	
SR-2002EA	12-36VDC	4x8A	4x(96-288)W	Regular LED (0.04-0.1W)	98.00 €	4CH1-10V Input/4CH PWM Output	
SR-2011	12-36VDC	4x0.350A	4x(4.2-12.6)W	High Power LED(1W)	98.00 €	1CH1-10V Input/4CH PWM Output	
SR-2012	12-36VDC	4x0.350A	4x(4.2-12.6)W	High Power LED(1W)	98.00 €	4CH1-10V Input/4CH PWM Output	
SR-2013	12-36VDC	4x0.70A	4x(8.4-25.2)W	High Power LED(3W)	98.00 €	1CH1-10V Input/4CH PWM Output	
SR-2014	12-36VDC	4x0.70A	4x(8.4-25.2)W	High Power LED(3W)	98.00 €	4CH1-10V Input/4CH PWM Output	

Sensor Dimmer							
Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Remarks	Photoes
SR-2005	12-36VDC	1x8A	1x(96-288)W	Regular LED (0.04-0.1W)	48.00 €	IR sensor	
SR-2018	12-36VDC	1x0.350A	1x(4.2-12.6)W	High Power LED(1W)	42.00 €		
SR-2020	12-36VDC	1x0.7A	1x(8.4-25.2)W	High Power LED(3W)	42.00 €		
SR-2005B	12-36VDC	1x8A	1x(96-288)W	Regular LED (0.04-0.1W)	42.00 €	IR sensor only ON/OFF	
SR-2018B	12-36VDC	1x0.350A	1x(4.2-12.6)W	High Power LED(1W)	42.00 €		
SR-2020B	12-36VDC	1x0.7A	1x(8.4-25.2)W	High Power LED(3W)	42.00 €		
SR-2401	12-36VDC	1x8A	1x(96-288)W	Regular LED (0.04-0.1W)	48.00 €	Insulated Touch	
SR-2403	12-36VDC	1x0.350A	1x(4.2-12.6)W	High Power LED(1W)	42.00 €		
SR-2405	12-36VDC	1x0.7A	1x(8.4-25.2)W	High Power LED(3W)	42.00 €		
SR-2401B	12-36VDC	1x8A	1x(96-288)W	Regular LED (0.04-0.1W)	42.00 €	Insulated Touch only ON/OFF	
SR-2403B	12-36VDC	1x0.350A	1x(4.2-12.6)W	High Power LED(1W)	42.00 €		
SR-2405B	12-36VDC	1x0.7A	1x(8.4-25.2)W	High Power LED(3W)	42.00 €		
SR-2004	12-36VDC	1x8A	1x(96-288)W	Regular LED (0.04-0.1W)	42.00 €	LED Touch	
SR-2017	12-36VDC	1x0.350A	1x(4.2-12.6)W	High Power LED(1W)	42.00 €		
SR-2019	12-36VDC	1x0.7A	1x(8.4-25.2)W	High Power LED(3W)	42.00 €		
SR-2004B	12-36VDC	1x8A	1x(96-288)W	Regular LED (0.04-0.1W)	42.00 €	LED Touch only on/off	
SR-2017B	12-36VDC	1x0.350A	1x(4.2-12.6)W	High Power LED(1W)	42.00 €		
SR-2019B	12-36VDC	1x0.7A	1x(8.4-25.2)W	High Power LED(3W)	42.00 €		
SR-2402	12-36VDC	1x8A	1x(96-288)W	Regular LED (0.04-0.1W)	42.00 €	Metal-Touch	
SR-2404	12-36VDC	1x0.350A	1x(4.2-12.6)W	High Power LED(1W)	42.00 €		
SR-2406	12-36VDC	1x0.7A	1x(8.4-25.2)W	High Power LED(3W)	42.00 €		
SR-2402B	12-36VDC	1x8A	1x(96-288)W	Regular LED (0.04-0.1W)	42.00 €	Metal-Touch only on/off	
SR-2404B	12-36VDC	1x0.350A	1x(4.2-12.6)W	High Power LED(1W)	38.00 €		
SR-2406B	12-36VDC	1x0.7A	1x(8.4-25.2)W	High Power LED(3W)	38.00 €		
LED Power Repeater							
Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Remarks	Photoes
SR-3001	12-36VDC	3/4x5A	3/4x(60-180)W	Regular LED (0.04-0.1W)	56.00 €	PWM control	
SR-3002	12-36VDC	3/4x8A	3/4x(96-288)W	Regular LED (0.04-0.1W)	98.00 €		
SR-3011	12-36VDC	3/4x0.350A	3/4x(4.2-12.6)W	High Power LED (1W)	98.00 €		
SR-3012	12-36VDC	3/4x0.70A	3/4x(8.4-25.2)W	High Power LED (3W)	98.00 €		

Sensor Switch							
Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Remarks	Photoes
SR-8001A	100-240VAC	5A	500W	HV-Halogen lamps, LED Lamps, Electronic ballast	32.00 €	Shake hand to turn on/off	
SR-8001B	100-240VAC	5A	500W	HV-Halogen lamps, LED Lamps, Electronic ballast	32.00 €	No Reflection to Turn on	
SR-8002	100-240VAC	5A	500W	HV-Halogen lamps,LED Lamps, Electronic ballast	32.00 €	Detect touch to turn on/off	
SR-8003	100-240VAC	5A	500W	HV-Halogen lamps,LED Lamps, Electronic ballast	85.00 €	Detect human movement to turn on/off	
SR-8004	100-240VAC	5A	500W	HV-Halogen lamps,LED Lamps, Electronic ballast	85.00 €	Detect human movement to turnon/off	
SR-8005	100-240VAC	5A	500W	HV-Halogen lamps,LED Lamps, Electronic ballast	85.00 €	Detect touch to turnon/off	
PCBA Mini Dimmer							
Part No.	Input Voltage	Max load current	Max Output Power	Load Tpye	PRICE P.V.P.	Remarks	Photoes
SR-2901	12-24VDC	1x5A	1x(36-72)W	Regular LED (0.04-0.1W)	13.00 €	PWM Iuput Dimmer	
SR-2902	12-24VDC	1x0.350A	1x(4.2-8.4)W	High Power LED (1W)	13.00 €	PWM Iuput Dimmer	
SR-2903	12-24VDC	1x0.70A	1x(8.4-16.8)W	High Power LED (3W)	13.00 €	PWM Iuput Dimmer	
SR-2901S	12-24VDC	1x5A	1x(60-120)W	Regular LED (0.04-0.1W)	35.00 €	Insulated Touch	

LED



VISSO[®]

Gran Via de les Corts Catalanes, 828 - 08013. Barcelona - España
Tel . 0034 - 93 356 34 88

info@vissoimpronta.com www.vissoimpronta.com